



AN ISO 9001 : 2015 CERTIFIED CO.



Inder Engg. Works Pvt. Ltd.

A House of Lift & Construction Equipment

AN ISO 9001 : 2015 CERTIFIED CO.

LIFT & ELEVATOR



MFG. & DEALS IN:


- Passenger Lift
- Goods Lift
- Steel Shuttering
- Scaffolding
- All types of Exhibition Stand
- Escalator Lift
- Hydraulic Lift
- Scissor Lift

Never remorse that your trust in
Inder Engg. Works Pvt. Ltd.

PASSENGER CAPACITY 03-20



WITH MACHINE ROOM LIFT



WITHOUT MACHINE ROOM LIFT



Gearless Elevator Machine



Cauldron Machine



Dumbwaiter Machine



Traction Machine



Goods Lift Gear Box

HYDRAULIC GOODS LIFT

Specification :

- Weight upto 1000 Kg. (Single Cylinder)
- Weight upto 5000 Kg. (Double Cylinder)
- Electricity Use 3 Phase, **Single Phase (upto 300 Kg.)**
- Blain EV Valve, Repture Valve, Screw Pump
- Platform Size upto 1500mm x 1500mm for Single Cylinder
- Platform Size upto 3000mm x 3000mm for Double Cylinder
- Cabin make SS Steel, MS Steel



SCISSOR LIFT

Specification :

- Capacity : 5000 Kg.
- Max. Height : Upto 5000mm
- Rated Power : Upto 15 HP
- Lifting Speed : Upto 2 to 4 Mtr. / Min.
- Table Dimensions : Upto 3000mm x 3000mm
- Lower Height : Minimum 600mm
- Power Supply : 3 Phase
- Lifting : Electrical
- Structure : MS Pipe, Angle, Channel (Also in SS Steel)
- Hydraulic Unit : Cylinder Heavy Hard Chrome Plated Piston





Upgraded Seat


- Modern Design
- Size is Reduced
- Ergonomic Seating Position
- Controls are easy to access
- Paddle levers on each arm
- Improved Seatbelt positioning

Features

- Padded Seat and backrest
- Controls are east to access
- Safety Belts
- Folding footrest and armrest are available.
- Swivel Seat - No need for twisting the body to get on and off the lift.
- Lockable switch for ON and OFF
- To provide the status of the lift diagnostic digital display is provided
- For emergency stopping the lift Five Sensors are provided on footrest



**DUMB
ELEVATOR 1-300 kg**



- ORDER TO ERECTION IN 15 DAYS
- LOW CONSTRUCTION OR DEMOLITION FLEXIBILITY
- NO MACHINE ROOM NEEDED
- MULTIPLE SAFETY FEATURES
- 24/7 MAINTENANCE ASSISTANCE
- NOISELESS JERK LESS FUNCTION
- WOODEN FINISH/ MARBLE / GLASS OPTIONS AVAILABLE
- OVER 300+ CABIN PERSONALIZATION OPTIONS



DUMB ELEVATOR

Brings you a revolutionary concept in the field of elevators to give you absolute freedom in designing - MRL -Machine Room Less Elevators! Our exclusive Machine room less elevators brings aesthetic enhancements for you structure.



LIFT VIEW

Inder Engg. Works Pvt. Ltd. are a trusted name in the domain, engaged in offering Lift Modification Services to the clients. In these services, we provide modifications and repairing of lifts with high precision. Our technical experts render these services as per the client's requirements by utilizing high-end technology and equipments.



SS Full Glass Door Lift



MS Hydraulic Passenger Lift



Swing Door Lift



IMP Door Lift



Collapsible Door Lift



Center Opening Lift



DOORS

We manufacture Elevators with Manual and automatic doors. Various types of manual doors and automatic doors are available to suit the site conditions and also to suit the needs of various costumers.

TYPES DOORS

Manual Doors
Power Operated Door (Auto-Door)

RANGE OF MANUAL DOORS

People continue to erect monumental sky croppers and make small buildings handicap accessible elevators, will become an even more pervasive element in the society. Manual Doors includes Collapsible, Swing, Imperforated and Telescopic Doors.



COLLAPSIBLE



SWING



IMPERFORATED



MANUAL TELESCOPIC

RANGE OF AUTO-DOORS

The Automatic Doors at grocery Stores and Office buildings mainly exist for convenience. One the other hand, they are absolutely essential and keep people from falling down an open shaft. We offer Full-Vision, Half-Vision, Centre Opening Doors as well as MS-Telescopic Doors Where there is a space constraint.



FULL-VISION



HALF-VISION



CENTER OPENING



MS-TELESCOPIC



Black Cushion




Golden Buddha



Royal Blue



Petal Stone



Royal Cushion



Bluefly









Silver Swan



Red Mosaic



Wooden Carving




LOP & COP BUTTON



PUSH TO TALK






Passenger Elevator

When you need to move a lot of people in a little time-economically, comfortably and reliably-you need a passenger elevator. Ideal for high and medium-rise buildings. Passenger elevator delivers smooth, quick acceleration, energy efficiency and attractive cost for high-rise buildings. Especially, these lifts with their versatility, power and speed.


Person	Load		Car Inside		Lift Well		Entrance
	kg	A	B	C	D	E	
4	272	900	900	1500	1500	700/Min	
6	408	1000	1100	1500	1700	700/Min	
8	544	1300	1100	1900	1700	800	
10	680	1300	1350	1900	1950	800	
13	884	2000	1100	2500	1700	900	



Hospital Elevator

Hospital Elevators provide easy transportation of patients and bulky medical equipment such as gurneys, stretchers and wheel chairs. These lifts feature sophisticated looks and operated smoothly. Hospital Elevators are available in a wide variety, capable of carrying between 15 to 26 passengers at a time. These elevators usually feature center-opening, telescopic power-operated doors and easy to use for people.


Person	Load		Car Inside		Lift Well		Entrance
	kg	A	B	C	D	E	
15	1020	1000	2400	1900	2800	800	
20	1360	1300	2400	2300	2800	1000	
26	1768	1600	2400	2600	2800	1200	



Machine Room-Less Elevator

Machine Room-Less (MRL) Lifts are traction elevators that feature a compact motor drive mounted on the car itself. They don't require to build a separate elevator machine room. MRL Lifts allow you architectural flexibility, but they also provide fast, powerful and energy-efficient transportation. Through traction lifts were originally limited to high-rises, the innovation MRL design has allowed engineers to adapt traction elevators for low-rise buildings and multi-story homes.

No of Persons	Rated Capacity	Entrance Width	Car Size	Lift Shaft
	KG	E	A X B	C X D
6	408	700	1100 X 1000	1850 X 1400
8	544	800	1100 X 1300	1950 X 1700
10	680	800	1300 X 1350	2050 X 1750
13	884	900	1300 X 1700	2100 X 2100
16	1088	1000	1500 X 1750	2350 X 2150
20	1360	1000	1500 X 2000	2350 X 2400




Panorama Elevator

Panorama elevators give an upscale, attractive, feel to offices, shopping malls, multiplexes and other prestigious buildings. These lifts owe their stunning looks to the large glass viewing panels which provide entertaining ride to passengers. Panorama elevators work just as well as small personal lifts for private homes as they do in large office and commercial buildings. Installation on the exterior face of the building or in the lobby will totally change the look of a building. And of course, they incorporate state-of-the-art technology.

Option-A

Load	Car Inside					Lift Well					Entrance
Persons	KG	A	B	J	G	C	D	F	H	E	
8	544	1000	1000	1150	850	2000	1300	1380	1000	800	
10	680	1100	1100	1270	850	2200	1450	1500	1100	900	
13	884	1200	1200	1390	1050	2400	1600	1620	1200	1000	
16	1068	1300	1300	1510	1130	2800	1750	1740	1400	1200	


Load	Car Inside					Lift Well					Entrance
Persons	KG	A	B	C	D	F	H	E			
6	408	1000	1100	200	1800	1250	1230	470	700		
8	544	1050	1200	200	2000	1380	1350	520	800		
10	680	1250	1300	250	2200	1450	1480	580	900		
13	884	1400	1400	300	2400	1550	1630	650	1000		
16	1068	1550	1500	350	2800	1780	1650	790	1200		



Villa Elevator

Villa elevators not only increase the value of your home, but can also provide you stunning showpiece. At the same time, home lifts can be allow the disables and elderly to easily move about a multi-level dwelling. The term "villa elevator" commonly refers to a lift enclosed in a shaft, and which can travel vertically as much as 15m. (50 ft.). Home elevators make it easier to carry groceries, laundry or anything else from one floor to another. And today, they're fully customizable - choose from a wide range of materials, such as marble wall or stained glass, to turn your home elevator into an expression of your own unique style!

Load	Car Inside		Lift Well		Entrance	
Persons	kg	A	B	C	D	E
3	200	800	800	1500	1275	700
4	272	900	900	1500	1500	700



Freight Elevator

A Freight Elevator is used to carry goods only, through some do both to allow operators and those loading goods along for the ride. Freight elevators are typically larger and capable of carrying heavier loads than a passenger elevator, generally from 2,300 to 4,500 kg. Freight elevators have automatically operated doors and often boast rugged interior finishes to prevent damage while loading and unloading. Although hydraulic freight elevators exists, electric elevators are more energy-efficient for the work of freight lifting.

Load	Car Inside		Lift Well		Entrance	
kg	A	B	C	D	E	F
500	1100	1200	1900	1500	1100	1200
1000	1400	1800	2300	2100	1400	1500
1500	1700	2000	2600	2300	1700	1800
2000	1700	2500	2600	2800	1700	1800
2500	2000	2500	2900	2800	2000	2100
3000	2000	3000	2900	3300	2000	2100



RANGE OF LIFT PARTS



Service Dumb Waiter



Traction Machine



OSG Governor



Goods Dumb Waiter



Magnetic Brake



Guide Shoe



Lift Panel




Hydraulic Cam



Buffer Spring



LOP COP



Guide Rail



DBG Safety



Wire Rope



Rope Clump



Hydraulic Cylinder



GP Bracket

MANUFACTURE & DEAL



SCAFFOLDING



PIPE CLAMP



SHUTTERING PLATES



PROP JACK



BASE JACK




SQUARE COLOUM



TOP CUP




JOINED PIN



CLEAT



ROUND COLOUM



H-FRAME



CHALLI SYSTEM





AN ISO 9001 : 2015 CERTIFIED CO.



Factory : 109, Street No. 1, Kapoor Nagar, Sultanwind Road,
Amritsar - 143001 Punjab, India



Branch Off. : F.G.C. Road, Near Gurudwara Nangali,
Amritsar 143001 Punjab



+91 94173-23511, +91 89686-42511
+91 98727-33066, +91 97795-63155
Office : 0183-2581000, 98787-75416



amarjit.562@rediffmail.com
inderenggworkspvtltd@gmail.com
amarjit_singh112@yahoo.com
info@liftmanufacturer.in



www.inderenggworks.com
www.liftmanufacturer.in
www.inderelevator.com



LIFT & ELEVATOR



<https://www.youtube.com/c/INDERELEVATORANDENGG>